

JUL 19 2006

AMENDMENTS TO THE CLAIMS

Please cancel claims 1, 13, and 17 and amend claims 2-5, 7-8, 12, 14-16, and 18-24 as follows:

1. (Canceled).
2. (Currently Amended) ~~The method of claim 1, further comprising:~~ A method for information extraction, comprising:  
  
accessing a plurality of related articles;  
  
determining a seed article from the related articles;  
  
identifying at least one information field within the seed article by comparing the seed article to at least one other related article; and  
  
~~determining a label for the information field; and~~  
  
~~associating a pointer to a location of the information field in the seed article to create~~  
  
creating a template based on the identified information field.
3. (Currently Amended) The method of claim [[1]] 2, wherein comparing the seed article to at least one other related article is performed by a dynamic programming alignment algorithm to determine an alignment between the seed article and the related article.
4. (Currently Amended) The method of claim [[1]] 2, further comprising determining a cluster of related articles from the related articles.
5. (Currently Amended) The method of claim 4, wherein determining [[a]] the cluster of related articles is performed by:  
  
using a dynamic programming alignment algorithm to compute edit distances between the  
  
seed article and ~~all of~~ the related articles; and  
  
choosing the cluster of related articles based on the edit distances.

24207/10062/DOCS/1626789.1

6. (Original) The method of claim 4, wherein the identifying at least one information field within the seed article is performed by comparing the seed article to the cluster of articles.
7. (Currently Amended) The method of claim ~~[[1]]~~ 2, wherein the information field corresponds to variable data.
8. (Currently Amended) The method of claim ~~[[1]]~~ 2, wherein the articles are web pages.
9. (Original) The method of claim 8, wherein the related articles are web pages on a web site.
10. (Original) The method of claim 9, further comprising simplifying the content on a web page.
11. (Original) The method of claim 10, wherein simplifying the content includes preserving visible text, visible images, and visible paragraph and table formatting.
12. (Currently Amended) The method of claim 2, further comprising:
  - identifying a plurality of templates each comprising at least one information field;
  - comparing a source article to the templates to determine ~~the~~ a closest template;
  - associating data from the source article with an information field from the closest template; and
  - extracting the associated data.
13. (Canceled.)
14. (Currently Amended) ~~The method of claim 13 further comprising~~ A method of extracting data from a source article, comprising:
  - identifying a plurality of templates each comprising at least one information field;
  - comparing the source article to the templates to determine a closest template;

associating data from the source article with an information field from the closest  
template; and

extracting the associated data.

15. (Currently Amended) The method of claim ~~13~~14, wherein comparing the source article to the templates is performed by a dynamic programming alignment algorithm to compute an edit distance between the source article and the templates.

16. (Currently Amended) The method of claim ~~13~~14, wherein the source article is a web page.

17. (Canceled).

18. (Currently Amended) ~~The computer-readable medium of claim 17, further comprising:~~

A computer program product for information extraction, comprising:

a computer-readable medium; and

computer program code, encoded on the medium, for:

accessing a plurality of related articles;

determining a seed article from the related articles;

identifying at least one information field within the seed article by comparing the

seed article to at least one other related article; and

~~program code for determining a label for the information field; and~~

~~program code for associating a pointer to a location of the information field in the~~

~~seed article to create~~

creating a template based on the identified information field.

19. (Currently Amended) The computer program product ~~readable medium~~ of claim ~~17~~18, wherein comparing the seed article to at least one other related article is performed by a dynamic

programming alignment algorithm to determine an alignment between the seed article and the related article.

20. (Currently Amended) The computer program product ~~readable medium~~ of claim 1718, further comprising computer program code for determining a cluster of related articles from the related articles.

21. (Currently Amended) The computer program product ~~readable medium~~ of claim 20, wherein determining a cluster of related articles is performed by:

using a dynamic programming alignment algorithm to compute edit distances between the seed article and all of the related articles; and  
choosing the cluster of related articles based on the edit distances.

22. (Currently Amended) The computer program product ~~readable medium~~ of claim 20, wherein the identifying at least one information field within the seed article is performed by comparing the seed article to the cluster of related articles.

23. (Currently Amended) The computer program product ~~readable medium~~ of claim 18, further comprising computer program code for:

~~program code~~ for identifying a plurality of templates each comprising at least one information field;

~~program code~~ for comparing a source article to the templates to determine ~~the~~ closest template;

~~program code~~ for associating data from the source article with an information field from the closest template; and

~~program code~~ for extracting the associated data.

24. (Currently Amended) The computer program product ~~readable medium~~ of claim 23, wherein comparing the source article to the templates is performed by a dynamic programming alignment algorithm to compute an edit distance between the source article and the templates.